

**Immishop GmbH**

Das Messestand Konzept

# LED-Displays für den Einzelhandel



# Poster V3.0

## Indoor Poster LED Screen



USB



APP+WIFI/4G



PC+WIFI/4G/  
Ethernet

iPoster V3.0 ist eine fortschrittlichere, bewegliche digitale Innenraum-Beschilderung, da sie eine hohe Helligkeit, hohen Kontrast und eine hohe Bildwiederholrate aufweist. Sie ist in der Lage, mehrere Poster nahtlos zusammenzufügen, um eine größere Videowand zu bilden.

**Immoshop GmbH**

Das Messestand Konzept

5742 Kölliken

Tel. +41627216990

E-Mail: info@imsk.ch

59mm

640mm

1.920mm


1.920mm

420mm



Item	P1.0	P2	P2.5
Pixel composition	1R1G1B (SMD1515)	1R1G1B (SMD1515)	1R1G1B (SMD2020)
Pixel pitch	1.8mm	2mm	2.5mm
Module resolution	172*96	180*90	128*64
Module size	320*160mm	320*160mm	320*160mm
Display size (mm)	640*1920	640*1920	640*1920
Scan rate	1/43 Scan	1/43 Scan	1/32 Scan
Powerconsumption (Max.1kw.)		Max. 700W/pc, Ave. 210W/pc	
Maximum white balance brightness		800nits	
P rate		IP30	
The most slim and thick part of panel		35.90mm	
Screen weight		10kg/pc	
Viewing angle		V >=140° / H >=140°	
Refresh rate		>3840Hz	
Control method		4G, Wi-Fi, USB	
Signal Source		HDMI, SDI, D-Video, MP4	
Lifetime		>60,000h	
Continuous working time		72hours	
Operating Voltage		AC 240/100x10%, 50Hz/60Hz	





## Nahtloses Verbinden

High Brightness  
800nits



High Contrast  
5000:1



High Refresh Rate  
3840 Hz



## Zubehör



Receiving card



Ribbon cable



Hub card



LED Module



Asyn Sending card



AC plug

## Verpackung



Flight case

1 in 1, 2 in 1, 4 in 1 are available



Nylon bag + Plywood case

1 iPoster in one Nylon bag  
4 iPoster in one plywood case

